



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $3,645 \div 10 = 364 \text{ r } \underline{\hspace{2cm}}$

2)  $688 \div 5 = 137 \text{ r } \underline{\hspace{2cm}}$

3)  $2,593 \div 2 = 1,296 \text{ r } \underline{\hspace{2cm}}$

4)  $688 \div 5 = 137 \text{ r } \underline{\hspace{2cm}}$

5)  $3,751 \div 2 = 1,875 \text{ r } \underline{\hspace{2cm}}$

6)  $558 \div 10 = 55 \text{ r } \underline{\hspace{2cm}}$

7)  $666 \div 5 = 133 \text{ r } \underline{\hspace{2cm}}$

8)  $49 \div 10 = 4 \text{ r } \underline{\hspace{2cm}}$

9)  $275 \div 2 = 137 \text{ r } \underline{\hspace{2cm}}$

10)  $264 \div 2 = 132 \text{ r } \underline{\hspace{2cm}}$

11)  $509 \div 10 = 50 \text{ r } \underline{\hspace{2cm}}$

12)  $3,783 \div 10 = 378 \text{ r } \underline{\hspace{2cm}}$

13)  $87 \div 2 = 43 \text{ r } \underline{\hspace{2cm}}$

14)  $86 \div 5 = 17 \text{ r } \underline{\hspace{2cm}}$

15)  $913 \div 5 = 182 \text{ r } \underline{\hspace{2cm}}$

16)  $41 \div 10 = 4 \text{ r } \underline{\hspace{2cm}}$

17)  $78 \div 2 = 39 \text{ r } \underline{\hspace{2cm}}$

18)  $2,203 \div 2 = 1,101 \text{ r } \underline{\hspace{2cm}}$

19)  $102 \div 5 = 20 \text{ r } \underline{\hspace{2cm}}$

20)  $68 \div 10 = 6 \text{ r } \underline{\hspace{2cm}}$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $3,645 \div 10 = 364 \text{ r } \underline{5}$

2)  $688 \div 5 = 137 \text{ r } \underline{3}$

1. 5

3)  $2,593 \div 2 = 1,296 \text{ r } \underline{1}$

4)  $688 \div 5 = 137 \text{ r } \underline{3}$

2. 3

5)  $3,751 \div 2 = 1,875 \text{ r } \underline{1}$

6)  $558 \div 10 = 55 \text{ r } \underline{8}$

3. 1

4. 3

5. 1

7)  $666 \div 5 = 133 \text{ r } \underline{1}$

8)  $49 \div 10 = 4 \text{ r } \underline{9}$

6. 8

7. 1

9)  $275 \div 2 = 137 \text{ r } \underline{1}$

10)  $264 \div 2 = 132 \text{ r } \underline{0}$

8. 9

9. 1

10. 0

11)  $509 \div 10 = 50 \text{ r } \underline{9}$

12)  $3,783 \div 10 = 378 \text{ r } \underline{3}$

11. 9

12. 3

13)  $87 \div 2 = 43 \text{ r } \underline{1}$

14)  $86 \div 5 = 17 \text{ r } \underline{1}$

13. 1

14. 1

15)  $913 \div 5 = 182 \text{ r } \underline{3}$

16)  $41 \div 10 = 4 \text{ r } \underline{1}$

15. 3

16. 1

17)  $78 \div 2 = 39 \text{ r } \underline{0}$

18)  $2,203 \div 2 = 1,101 \text{ r } \underline{1}$

17. 0

18. 1

19)  $102 \div 5 = 20 \text{ r } \underline{2}$

20)  $68 \div 10 = 6 \text{ r } \underline{8}$

19. 2

20. 8



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $1,199 \div 2 = 599 \text{ r } \underline{\hspace{2cm}}$

2)  $93 \div 10 = 9 \text{ r } \underline{\hspace{2cm}}$

3)  $96 \div 5 = 19 \text{ r } \underline{\hspace{2cm}}$

4)  $125 \div 5 = 25 \text{ r } \underline{\hspace{2cm}}$

5)  $568 \div 5 = 113 \text{ r } \underline{\hspace{2cm}}$

6)  $78 \div 10 = 7 \text{ r } \underline{\hspace{2cm}}$

7)  $2,750 \div 2 = 1,375 \text{ r } \underline{\hspace{2cm}}$

8)  $453 \div 5 = 90 \text{ r } \underline{\hspace{2cm}}$

9)  $113 \div 5 = 22 \text{ r } \underline{\hspace{2cm}}$

10)  $190 \div 2 = 95 \text{ r } \underline{\hspace{2cm}}$

11)  $7,447 \div 10 = 744 \text{ r } \underline{\hspace{2cm}}$

12)  $917 \div 10 = 91 \text{ r } \underline{\hspace{2cm}}$

13)  $28 \div 5 = 5 \text{ r } \underline{\hspace{2cm}}$

14)  $58 \div 2 = 29 \text{ r } \underline{\hspace{2cm}}$

15)  $986 \div 10 = 98 \text{ r } \underline{\hspace{2cm}}$

16)  $240 \div 10 = 24 \text{ r } \underline{\hspace{2cm}}$

17)  $2,774 \div 10 = 277 \text{ r } \underline{\hspace{2cm}}$

18)  $358 \div 2 = 179 \text{ r } \underline{\hspace{2cm}}$

19)  $5,673 \div 10 = 567 \text{ r } \underline{\hspace{2cm}}$

20)  $132 \div 5 = 26 \text{ r } \underline{\hspace{2cm}}$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $1,199 \div 2 = 599 \text{ r } \underline{1}$

2)  $93 \div 10 = 9 \text{ r } \underline{3}$

1. 1

3)  $96 \div 5 = 19 \text{ r } \underline{1}$

4)  $125 \div 5 = 25 \text{ r } \underline{0}$

2. 3

5)  $568 \div 5 = 113 \text{ r } \underline{3}$

6)  $78 \div 10 = 7 \text{ r } \underline{8}$

3. 1

4. 0

7)  $2,750 \div 2 = 1,375 \text{ r } \underline{0}$

8)  $453 \div 5 = 90 \text{ r } \underline{3}$

5. 3

6. 8

9)  $113 \div 5 = 22 \text{ r } \underline{3}$

10)  $190 \div 2 = 95 \text{ r } \underline{0}$

7. 0

8. 3

11)  $7,447 \div 10 = 744 \text{ r } \underline{7}$

12)  $917 \div 10 = 91 \text{ r } \underline{7}$

9. 3

10. 0

11. 7

13)  $28 \div 5 = 5 \text{ r } \underline{3}$

14)  $58 \div 2 = 29 \text{ r } \underline{0}$

12. 7

13. 3

15)  $986 \div 10 = 98 \text{ r } \underline{6}$

16)  $240 \div 10 = 24 \text{ r } \underline{0}$

14. 0

15. 6

17)  $2,774 \div 10 = 277 \text{ r } \underline{4}$

18)  $358 \div 2 = 179 \text{ r } \underline{0}$

16. 0

17. 4

19)  $5,673 \div 10 = 567 \text{ r } \underline{3}$

20)  $132 \div 5 = 26 \text{ r } \underline{2}$

18. 0

19. 3

20. 2



Use multiplication rules to determine the missing remainder for each problem.

**Answers**

1)  $937 \div 2 = 468 \text{ r } \underline{\hspace{2cm}}$

2)  $62 \div 10 = 6 \text{ r } \underline{\hspace{2cm}}$

3)  $9,032 \div 5 = 1,806 \text{ r } \underline{\hspace{2cm}}$

4)  $90 \div 10 = 9 \text{ r } \underline{\hspace{2cm}}$

5)  $2,426 \div 2 = 1,213 \text{ r } \underline{\hspace{2cm}}$

6)  $8,405 \div 2 = 4,202 \text{ r } \underline{\hspace{2cm}}$

7)  $484 \div 5 = 96 \text{ r } \underline{\hspace{2cm}}$

8)  $66 \div 10 = 6 \text{ r } \underline{\hspace{2cm}}$

9)  $5,232 \div 5 = 1,046 \text{ r } \underline{\hspace{2cm}}$

10)  $28 \div 5 = 5 \text{ r } \underline{\hspace{2cm}}$

11)  $4,412 \div 2 = 2,206 \text{ r } \underline{\hspace{2cm}}$

12)  $70 \div 2 = 35 \text{ r } \underline{\hspace{2cm}}$

13)  $2,623 \div 10 = 262 \text{ r } \underline{\hspace{2cm}}$

14)  $103 \div 5 = 20 \text{ r } \underline{\hspace{2cm}}$

15)  $95 \div 10 = 9 \text{ r } \underline{\hspace{2cm}}$

16)  $9,201 \div 2 = 4,600 \text{ r } \underline{\hspace{2cm}}$

17)  $8,491 \div 10 = 849 \text{ r } \underline{\hspace{2cm}}$

18)  $9,329 \div 2 = 4,664 \text{ r } \underline{\hspace{2cm}}$

19)  $51 \div 10 = 5 \text{ r } \underline{\hspace{2cm}}$

20)  $167 \div 10 = 16 \text{ r } \underline{\hspace{2cm}}$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $937 \div 2 = 468 \text{ r } \underline{1}$

2)  $62 \div 10 = 6 \text{ r } \underline{2}$

1. 1

3)  $9,032 \div 5 = 1,806 \text{ r } \underline{2}$

4)  $90 \div 10 = 9 \text{ r } \underline{0}$

2. 2

5)  $2,426 \div 2 = 1,213 \text{ r } \underline{0}$

6)  $8,405 \div 2 = 4,202 \text{ r } \underline{1}$

3. 2

4. 0

5. 0

7)  $484 \div 5 = 96 \text{ r } \underline{4}$

8)  $66 \div 10 = 6 \text{ r } \underline{6}$

6. 1

7. 4

9)  $5,232 \div 5 = 1,046 \text{ r } \underline{2}$

10)  $28 \div 5 = 5 \text{ r } \underline{3}$

8. 6

9. 2

10. 3

11)  $4,412 \div 2 = 2,206 \text{ r } \underline{0}$

12)  $70 \div 2 = 35 \text{ r } \underline{0}$

11. 0

12. 0

13)  $2,623 \div 10 = 262 \text{ r } \underline{3}$

14)  $103 \div 5 = 20 \text{ r } \underline{3}$

13. 3

14. 3

15)  $95 \div 10 = 9 \text{ r } \underline{5}$

16)  $9,201 \div 2 = 4,600 \text{ r } \underline{1}$

15. 5

16. 1

17)  $8,491 \div 10 = 849 \text{ r } \underline{1}$

18)  $9,329 \div 2 = 4,664 \text{ r } \underline{1}$

17. 1

18. 1

19)  $51 \div 10 = 5 \text{ r } \underline{1}$

20)  $167 \div 10 = 16 \text{ r } \underline{7}$

19. 1

20. 7



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $4,395 \div 5 = 879$  r \_\_\_\_\_

2)  $121 \div 10 = 12$  r \_\_\_\_\_

3)  $4,866 \div 10 = 486$  r \_\_\_\_\_

4)  $803 \div 2 = 401$  r \_\_\_\_\_

5)  $91 \div 2 = 45$  r \_\_\_\_\_

6)  $419 \div 2 = 209$  r \_\_\_\_\_

7)  $1,157 \div 5 = 231$  r \_\_\_\_\_

8)  $39 \div 10 = 3$  r \_\_\_\_\_

9)  $92 \div 5 = 18$  r \_\_\_\_\_

10)  $194 \div 2 = 97$  r \_\_\_\_\_

11)  $6,518 \div 2 = 3,259$  r \_\_\_\_\_

12)  $435 \div 5 = 87$  r \_\_\_\_\_

13)  $29 \div 2 = 14$  r \_\_\_\_\_

14)  $976 \div 2 = 488$  r \_\_\_\_\_

15)  $1,686 \div 10 = 168$  r \_\_\_\_\_

16)  $909 \div 2 = 454$  r \_\_\_\_\_

17)  $133 \div 10 = 13$  r \_\_\_\_\_

18)  $285 \div 10 = 28$  r \_\_\_\_\_

19)  $2,498 \div 5 = 499$  r \_\_\_\_\_

20)  $66 \div 10 = 6$  r \_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $4,395 \div 5 = 879$  r 0

2)  $121 \div 10 = 12$  r 1

1. 0

3)  $4,866 \div 10 = 486$  r 6

4)  $803 \div 2 = 401$  r 1

2. 1

5)  $91 \div 2 = 45$  r 1

6)  $419 \div 2 = 209$  r 1

3. 6

4. 1

5. 1

7)  $1,157 \div 5 = 231$  r 2

8)  $39 \div 10 = 3$  r 9

6. 1

7. 2

9)  $92 \div 5 = 18$  r 2

10)  $194 \div 2 = 97$  r 0

8. 9

9. 2

11)  $6,518 \div 2 = 3,259$  r 0

12)  $435 \div 5 = 87$  r 0

10. 0

11. 0

13)  $29 \div 2 = 14$  r 1

14)  $976 \div 2 = 488$  r 0

12. 0

13. 1

15)  $1,686 \div 10 = 168$  r 6

16)  $909 \div 2 = 454$  r 1

14. 0

15. 6

17)  $133 \div 10 = 13$  r 3

18)  $285 \div 10 = 28$  r 5

16. 1

17. 3

19)  $2,498 \div 5 = 499$  r 3

20)  $66 \div 10 = 6$  r 6

18. 5

19. 3

20. 6





Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $5,952 \div 2 = 2,976$  r \_\_\_\_\_

2)  $3,845 \div 2 = 1,922$  r \_\_\_\_\_

1. \_\_\_\_\_

3)  $24 \div 5 = 4$  r \_\_\_\_\_

4)  $124 \div 10 = 12$  r \_\_\_\_\_

2. \_\_\_\_\_

5)  $284 \div 2 = 142$  r \_\_\_\_\_

6)  $9,569 \div 10 = 956$  r \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

7)  $3,365 \div 10 = 336$  r \_\_\_\_\_

8)  $101 \div 5 = 20$  r \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

9)  $356 \div 2 = 178$  r \_\_\_\_\_

10)  $377 \div 5 = 75$  r \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

11)  $89 \div 10 = 8$  r \_\_\_\_\_

12)  $697 \div 10 = 69$  r \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

13)  $92 \div 10 = 9$  r \_\_\_\_\_

14)  $5,392 \div 5 = 1,078$  r \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

15)  $1,052 \div 2 = 526$  r \_\_\_\_\_

16)  $6,947 \div 5 = 1,389$  r \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

17)  $9,485 \div 2 = 4,742$  r \_\_\_\_\_

18)  $2,278 \div 10 = 227$  r \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

19)  $200 \div 5 = 40$  r \_\_\_\_\_

20)  $30 \div 2 = 15$  r \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $5,952 \div 2 = 2,976$  r 0

2)  $3,845 \div 2 = 1,922$  r 1

1. 0

3)  $24 \div 5 = 4$  r 4

4)  $124 \div 10 = 12$  r 4

2. 1

5)  $284 \div 2 = 142$  r 0

6)  $9,569 \div 10 = 956$  r 9

3. 4

4. 4

7)  $3,365 \div 10 = 336$  r 5

8)  $101 \div 5 = 20$  r 1

5. 0

6. 9

7. 5

9)  $356 \div 2 = 178$  r 0

10)  $377 \div 5 = 75$  r 2

8. 1

9. 0

10. 2

11)  $89 \div 10 = 8$  r 9

12)  $697 \div 10 = 69$  r 7

11. 9

12. 7

13)  $92 \div 10 = 9$  r 2

14)  $5,392 \div 5 = 1,078$  r 2

13. 2

14. 2

15)  $1,052 \div 2 = 526$  r 0

16)  $6,947 \div 5 = 1,389$  r 2

15. 0

16. 2

17)  $9,485 \div 2 = 4,742$  r 1

18)  $2,278 \div 10 = 227$  r 8

17. 1

18. 8

19)  $200 \div 5 = 40$  r 0

20)  $30 \div 2 = 15$  r 0

19. 0

20. 0



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $485 \div 10 = 48$  r \_\_\_\_\_

2)  $145 \div 5 = 29$  r \_\_\_\_\_

1. \_\_\_\_\_

3)  $481 \div 5 = 96$  r \_\_\_\_\_

4)  $66 \div 2 = 33$  r \_\_\_\_\_

2. \_\_\_\_\_

5)  $28 \div 5 = 5$  r \_\_\_\_\_

6)  $8,117 \div 5 = 1,623$  r \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

7)  $250 \div 2 = 125$  r \_\_\_\_\_

8)  $9,278 \div 5 = 1,855$  r \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

9)  $89 \div 2 = 44$  r \_\_\_\_\_

10)  $564 \div 10 = 56$  r \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

11)  $1,844 \div 10 = 184$  r \_\_\_\_\_

12)  $940 \div 2 = 470$  r \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

13)  $347 \div 5 = 69$  r \_\_\_\_\_

14)  $354 \div 10 = 35$  r \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

15)  $418 \div 2 = 209$  r \_\_\_\_\_

16)  $26 \div 5 = 5$  r \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

17)  $794 \div 10 = 79$  r \_\_\_\_\_

18)  $26 \div 2 = 13$  r \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

19)  $567 \div 10 = 56$  r \_\_\_\_\_

20)  $2,674 \div 2 = 1,337$  r \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $485 \div 10 = 48 \text{ r } \underline{5}$

2)  $145 \div 5 = 29 \text{ r } \underline{0}$

1. 5

3)  $481 \div 5 = 96 \text{ r } \underline{1}$

4)  $66 \div 2 = 33 \text{ r } \underline{0}$

2. 0

5)  $28 \div 5 = 5 \text{ r } \underline{3}$

6)  $8,117 \div 5 = 1,623 \text{ r } \underline{2}$

3. 1

4. 0

5. 3

7)  $250 \div 2 = 125 \text{ r } \underline{0}$

8)  $9,278 \div 5 = 1,855 \text{ r } \underline{3}$

6. 2

7. 0

9)  $89 \div 2 = 44 \text{ r } \underline{1}$

10)  $564 \div 10 = 56 \text{ r } \underline{4}$

8. 3

9. 1

11)  $1,844 \div 10 = 184 \text{ r } \underline{4}$

12)  $940 \div 2 = 470 \text{ r } \underline{0}$

10. 4

11. 4

13)  $347 \div 5 = 69 \text{ r } \underline{2}$

14)  $354 \div 10 = 35 \text{ r } \underline{4}$

12. 0

13. 2

15)  $418 \div 2 = 209 \text{ r } \underline{0}$

16)  $26 \div 5 = 5 \text{ r } \underline{1}$

14. 4

15. 0

17)  $794 \div 10 = 79 \text{ r } \underline{4}$

18)  $26 \div 2 = 13 \text{ r } \underline{0}$

16. 1

17. 4

19)  $567 \div 10 = 56 \text{ r } \underline{7}$

20)  $2,674 \div 2 = 1,337 \text{ r } \underline{0}$

18. 0

19. 7

20. 0



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $9,641 \div 5 = 1,928 \text{ r } \underline{\hspace{2cm}}$

2)  $49 \div 5 = 9 \text{ r } \underline{\hspace{2cm}}$

3)  $63 \div 10 = 6 \text{ r } \underline{\hspace{2cm}}$

4)  $574 \div 5 = 114 \text{ r } \underline{\hspace{2cm}}$

5)  $892 \div 2 = 446 \text{ r } \underline{\hspace{2cm}}$

6)  $729 \div 2 = 364 \text{ r } \underline{\hspace{2cm}}$

7)  $26 \div 10 = 2 \text{ r } \underline{\hspace{2cm}}$

8)  $373 \div 10 = 37 \text{ r } \underline{\hspace{2cm}}$

9)  $41 \div 2 = 20 \text{ r } \underline{\hspace{2cm}}$

10)  $233 \div 5 = 46 \text{ r } \underline{\hspace{2cm}}$

11)  $86 \div 5 = 17 \text{ r } \underline{\hspace{2cm}}$

12)  $5,079 \div 2 = 2,539 \text{ r } \underline{\hspace{2cm}}$

13)  $330 \div 5 = 66 \text{ r } \underline{\hspace{2cm}}$

14)  $686 \div 2 = 343 \text{ r } \underline{\hspace{2cm}}$

15)  $1,479 \div 2 = 739 \text{ r } \underline{\hspace{2cm}}$

16)  $74 \div 2 = 37 \text{ r } \underline{\hspace{2cm}}$

17)  $6,938 \div 5 = 1,387 \text{ r } \underline{\hspace{2cm}}$

18)  $85 \div 10 = 8 \text{ r } \underline{\hspace{2cm}}$

19)  $878 \div 10 = 87 \text{ r } \underline{\hspace{2cm}}$

20)  $570 \div 2 = 285 \text{ r } \underline{\hspace{2cm}}$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $9,641 \div 5 = 1,928$  r 1

2)  $49 \div 5 = 9$  r 4

1. 1

3)  $63 \div 10 = 6$  r 3

4)  $574 \div 5 = 114$  r 4

2. 4

5)  $892 \div 2 = 446$  r 0

6)  $729 \div 2 = 364$  r 1

3. 3

7)  $26 \div 10 = 2$  r 6

8)  $373 \div 10 = 37$  r 3

4. 4

9)  $41 \div 2 = 20$  r 1

10)  $233 \div 5 = 46$  r 3

5. 0

11)  $86 \div 5 = 17$  r 1

12)  $5,079 \div 2 = 2,539$  r 1

6. 1

13)  $330 \div 5 = 66$  r 0

14)  $686 \div 2 = 343$  r 0

7. 6

15)  $1,479 \div 2 = 739$  r 1

16)  $74 \div 2 = 37$  r 0

8. 3

17)  $6,938 \div 5 = 1,387$  r 3

18)  $85 \div 10 = 8$  r 5

9. 1

19)  $878 \div 10 = 87$  r 8

20)  $570 \div 2 = 285$  r 0

10. 3

11. 1

12. 1

13. 0

14. 0

15. 1

16. 0

17. 3

18. 5

19. 8

20. 0



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $234 \div 2 = 117 \text{ r } \underline{\hspace{2cm}}$

2)  $2,336 \div 5 = 467 \text{ r } \underline{\hspace{2cm}}$

3)  $6,983 \div 2 = 3,491 \text{ r } \underline{\hspace{2cm}}$

4)  $81 \div 5 = 16 \text{ r } \underline{\hspace{2cm}}$

5)  $224 \div 10 = 22 \text{ r } \underline{\hspace{2cm}}$

6)  $4,508 \div 5 = 901 \text{ r } \underline{\hspace{2cm}}$

7)  $9,530 \div 10 = 953 \text{ r } \underline{\hspace{2cm}}$

8)  $3,537 \div 5 = 707 \text{ r } \underline{\hspace{2cm}}$

9)  $926 \div 10 = 92 \text{ r } \underline{\hspace{2cm}}$

10)  $390 \div 2 = 195 \text{ r } \underline{\hspace{2cm}}$

11)  $298 \div 10 = 29 \text{ r } \underline{\hspace{2cm}}$

12)  $5,688 \div 5 = 1,137 \text{ r } \underline{\hspace{2cm}}$

13)  $631 \div 2 = 315 \text{ r } \underline{\hspace{2cm}}$

14)  $512 \div 5 = 102 \text{ r } \underline{\hspace{2cm}}$

15)  $74 \div 10 = 7 \text{ r } \underline{\hspace{2cm}}$

16)  $9,639 \div 10 = 963 \text{ r } \underline{\hspace{2cm}}$

17)  $499 \div 2 = 249 \text{ r } \underline{\hspace{2cm}}$

18)  $384 \div 10 = 38 \text{ r } \underline{\hspace{2cm}}$

19)  $62 \div 5 = 12 \text{ r } \underline{\hspace{2cm}}$

20)  $163 \div 2 = 81 \text{ r } \underline{\hspace{2cm}}$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $234 \div 2 = 117 \text{ r } \underline{0}$

2)  $2,336 \div 5 = 467 \text{ r } \underline{1}$

1. 0

3)  $6,983 \div 2 = 3,491 \text{ r } \underline{1}$

4)  $81 \div 5 = 16 \text{ r } \underline{1}$

2. 1

5)  $224 \div 10 = 22 \text{ r } \underline{4}$

6)  $4,508 \div 5 = 901 \text{ r } \underline{3}$

3. 1

4. 1

7)  $9,530 \div 10 = 953 \text{ r } \underline{0}$

8)  $3,537 \div 5 = 707 \text{ r } \underline{2}$

5. 4

6. 3

9)  $926 \div 10 = 92 \text{ r } \underline{6}$

10)  $390 \div 2 = 195 \text{ r } \underline{0}$

7. 0

8. 2

11)  $298 \div 10 = 29 \text{ r } \underline{8}$

12)  $5,688 \div 5 = 1,137 \text{ r } \underline{3}$

9. 6

10. 0

13)  $631 \div 2 = 315 \text{ r } \underline{1}$

14)  $512 \div 5 = 102 \text{ r } \underline{2}$

11. 8

12. 3

15)  $74 \div 10 = 7 \text{ r } \underline{4}$

16)  $9,639 \div 10 = 963 \text{ r } \underline{9}$

13. 1

14. 2

17)  $499 \div 2 = 249 \text{ r } \underline{1}$

18)  $384 \div 10 = 38 \text{ r } \underline{4}$

15. 4

16. 9

19)  $62 \div 5 = 12 \text{ r } \underline{2}$

20)  $163 \div 2 = 81 \text{ r } \underline{1}$

17. 1

18. 4

19. 2

20. 1





Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $36 \div 5 = 7 \text{ r } \underline{\hspace{1cm}}$

2)  $6,745 \div 2 = 3,372 \text{ r } \underline{\hspace{1cm}}$

1. \_\_\_\_\_

3)  $9,604 \div 2 = 4,802 \text{ r } \underline{\hspace{1cm}}$

4)  $89 \div 10 = 8 \text{ r } \underline{\hspace{1cm}}$

2. \_\_\_\_\_

5)  $40 \div 2 = 20 \text{ r } \underline{\hspace{1cm}}$

6)  $77 \div 5 = 15 \text{ r } \underline{\hspace{1cm}}$

3. \_\_\_\_\_

4. \_\_\_\_\_

7)  $73 \div 10 = 7 \text{ r } \underline{\hspace{1cm}}$

8)  $9,911 \div 10 = 991 \text{ r } \underline{\hspace{1cm}}$

5. \_\_\_\_\_

6. \_\_\_\_\_

9)  $593 \div 2 = 296 \text{ r } \underline{\hspace{1cm}}$

10)  $582 \div 2 = 291 \text{ r } \underline{\hspace{1cm}}$

7. \_\_\_\_\_

8. \_\_\_\_\_

11)  $44 \div 10 = 4 \text{ r } \underline{\hspace{1cm}}$

12)  $6,216 \div 10 = 621 \text{ r } \underline{\hspace{1cm}}$

9. \_\_\_\_\_

10. \_\_\_\_\_

13)  $8,623 \div 5 = 1,724 \text{ r } \underline{\hspace{1cm}}$

14)  $31 \div 5 = 6 \text{ r } \underline{\hspace{1cm}}$

11. \_\_\_\_\_

12. \_\_\_\_\_

15)  $867 \div 10 = 86 \text{ r } \underline{\hspace{1cm}}$

16)  $393 \div 2 = 196 \text{ r } \underline{\hspace{1cm}}$

13. \_\_\_\_\_

14. \_\_\_\_\_

17)  $40 \div 10 = 4 \text{ r } \underline{\hspace{1cm}}$

18)  $56 \div 2 = 28 \text{ r } \underline{\hspace{1cm}}$

15. \_\_\_\_\_

16. \_\_\_\_\_

19)  $31 \div 5 = 6 \text{ r } \underline{\hspace{1cm}}$

20)  $146 \div 5 = 29 \text{ r } \underline{\hspace{1cm}}$

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $36 \div 5 = 7 \text{ r } \underline{1}$

2)  $6,745 \div 2 = 3,372 \text{ r } \underline{1}$

1. 1

3)  $9,604 \div 2 = 4,802 \text{ r } \underline{0}$

4)  $89 \div 10 = 8 \text{ r } \underline{9}$

2. 1

5)  $40 \div 2 = 20 \text{ r } \underline{0}$

6)  $77 \div 5 = 15 \text{ r } \underline{2}$

3. 0

4. 9

7)  $73 \div 10 = 7 \text{ r } \underline{3}$

8)  $9,911 \div 10 = 991 \text{ r } \underline{1}$

5. 0

6. 2

9)  $593 \div 2 = 296 \text{ r } \underline{1}$

10)  $582 \div 2 = 291 \text{ r } \underline{0}$

7. 3

8. 1

11)  $44 \div 10 = 4 \text{ r } \underline{4}$

12)  $6,216 \div 10 = 621 \text{ r } \underline{6}$

9. 1

10. 0

13)  $8,623 \div 5 = 1,724 \text{ r } \underline{3}$

14)  $31 \div 5 = 6 \text{ r } \underline{1}$

11. 4

12. 6

15)  $867 \div 10 = 86 \text{ r } \underline{7}$

16)  $393 \div 2 = 196 \text{ r } \underline{1}$

13. 3

14. 1

17)  $40 \div 10 = 4 \text{ r } \underline{0}$

18)  $56 \div 2 = 28 \text{ r } \underline{0}$

15. 7

16. 1

19)  $31 \div 5 = 6 \text{ r } \underline{1}$

20)  $146 \div 5 = 29 \text{ r } \underline{1}$

17. 0

18. 0

19. 1

20. 1



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $88 \div 2 = 44$  r \_\_\_\_\_

2)  $33 \div 2 = 16$  r \_\_\_\_\_

1. \_\_\_\_\_

3)  $7,957 \div 5 = 1,591$  r \_\_\_\_\_

4)  $778 \div 5 = 155$  r \_\_\_\_\_

2. \_\_\_\_\_

5)  $32 \div 5 = 6$  r \_\_\_\_\_

6)  $55 \div 10 = 5$  r \_\_\_\_\_

3. \_\_\_\_\_

7)  $64 \div 2 = 32$  r \_\_\_\_\_

8)  $263 \div 2 = 131$  r \_\_\_\_\_

4. \_\_\_\_\_

9)  $82 \div 10 = 8$  r \_\_\_\_\_

10)  $736 \div 5 = 147$  r \_\_\_\_\_

5. \_\_\_\_\_

11)  $201 \div 5 = 40$  r \_\_\_\_\_

12)  $8,247 \div 2 = 4,123$  r \_\_\_\_\_

6. \_\_\_\_\_

13)  $316 \div 5 = 63$  r \_\_\_\_\_

14)  $495 \div 5 = 99$  r \_\_\_\_\_

7. \_\_\_\_\_

15)  $33 \div 10 = 3$  r \_\_\_\_\_

16)  $7,130 \div 2 = 3,565$  r \_\_\_\_\_

8. \_\_\_\_\_

17)  $90 \div 10 = 9$  r \_\_\_\_\_

18)  $78 \div 10 = 7$  r \_\_\_\_\_

9. \_\_\_\_\_

19)  $6,064 \div 5 = 1,212$  r \_\_\_\_\_

20)  $164 \div 10 = 16$  r \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Use multiplication rules to determine the missing remainder for each problem.

Answers

1)  $88 \div 2 = 44$  r 0

2)  $33 \div 2 = 16$  r 1

1. 0

3)  $7,957 \div 5 = 1,591$  r 2

4)  $778 \div 5 = 155$  r 3

2. 1

5)  $32 \div 5 = 6$  r 2

6)  $55 \div 10 = 5$  r 5

3. 2

4. 3

5. 2

7)  $64 \div 2 = 32$  r 0

8)  $263 \div 2 = 131$  r 1

6. 5

7. 0

9)  $82 \div 10 = 8$  r 2

10)  $736 \div 5 = 147$  r 1

8. 1

9. 2

11)  $201 \div 5 = 40$  r 1

12)  $8,247 \div 2 = 4,123$  r 1

10. 1

11. 1

13)  $316 \div 5 = 63$  r 1

14)  $495 \div 5 = 99$  r 0

12. 1

13. 1

15)  $33 \div 10 = 3$  r 3

16)  $7,130 \div 2 = 3,565$  r 0

14. 0

15. 3

17)  $90 \div 10 = 9$  r 0

18)  $78 \div 10 = 7$  r 8

16. 0

17. 0

19)  $6,064 \div 5 = 1,212$  r 4

20)  $164 \div 10 = 16$  r 4

18. 8

19. 4

20. 4