



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $10 \cdot 224 = 2,240$

2)  $330 \cdot 5 = 1,651$

3)  $111 \cdot 5 = 558$

4)  $640 \cdot 10 = 6,405$

5)  $653 \cdot 10 = 6,537$

6)  $10 \cdot 716 = 7,160$

7)  $236 \cdot 2 = 472$

8)  $2 \cdot 911 = 1,822$

9)  $516 \cdot 10 = 5,168$

10)  $679 \cdot 5 = 3,396$

11)  $2 \cdot 772 = 1,545$

12)  $110 \cdot 5 = 550$

13)  $2 \cdot 179 = 359$

14)  $621 \cdot 5 = 3,108$

15)  $2 \cdot 960 = 1,920$

16)  $888 \cdot 5 = 4,440$

17)  $800 \cdot 2 = 1,601$

18)  $950 \cdot 2 = 1,900$

19)  $199 \cdot 5 = 995$

20)  $2 \cdot 995 = 1,991$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

1)  $10 \cdot 224 = 2,240$

2)  $330 \cdot 5 = 1,651$

3)  $111 \cdot 5 = 558$

4)  $640 \cdot 10 = 6,405$

5)  $653 \cdot 10 = 6,537$

6)  $10 \cdot 716 = 7,160$

7)  $236 \cdot 2 = 472$

8)  $2 \cdot 911 = 1,822$

9)  $516 \cdot 10 = 5,168$

10)  $679 \cdot 5 = 3,396$

11)  $2 \cdot 772 = 1,545$

12)  $110 \cdot 5 = 550$

13)  $2 \cdot 179 = 359$

14)  $621 \cdot 5 = 3,108$

15)  $2 \cdot 960 = 1,920$

16)  $888 \cdot 5 = 4,440$

17)  $800 \cdot 2 = 1,601$

18)  $950 \cdot 2 = 1,900$

19)  $199 \cdot 5 = 995$

20)  $2 \cdot 995 = 1,991$

1. yes
2. no
3. no
4. no
5. no
6. yes
7. yes
8. yes
9. no
10. no
11. no
12. yes
13. no
14. no
15. yes
16. yes
17. no
18. yes
19. yes
20. no



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $985 \cdot 10 = 9,850$

2)  $5 \cdot 389 = 1,947$

3)  $156 \cdot 2 = 312$

4)  $2 \cdot 654 = 1,309$

5)  $2 \cdot 816 = 1,633$

6)  $2 \cdot 624 = 1,248$

7)  $927 \cdot 5 = 4,636$

8)  $706 \cdot 2 = 1,413$

9)  $403 \cdot 5 = 2,015$

10)  $10 \cdot 152 = 1,520$

11)  $5 \cdot 536 = 2,684$

12)  $856 \cdot 2 = 1,712$

13)  $5 \cdot 357 = 1,785$

14)  $770 \cdot 10 = 7,702$

15)  $167 \cdot 5 = 835$

16)  $600 \cdot 10 = 6,002$

17)  $522 \cdot 10 = 5,229$

18)  $2 \cdot 543 = 1,087$

19)  $10 \cdot 380 = 3,806$

20)  $736 \cdot 10 = 7,360$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |  |  |     |            |
|--|--|-----|------------|
| <p>1) <math>985 \cdot 10 = 9,850</math></p>  | <p>2) <math>5 \cdot 389 = 1,947</math></p>   | 1.  | <b>yes</b> |
| <p>3) <math>156 \cdot 2 = 312</math></p>     | <p>4) <math>2 \cdot 654 = 1,309</math></p>   | 2.  | <b>no</b>  |
| <p>5) <math>2 \cdot 816 = 1,633</math></p>   | <p>6) <math>2 \cdot 624 = 1,248</math></p>   | 3.  | <b>yes</b> |
| <p>7) <math>927 \cdot 5 = 4,636</math></p>   | <p>8) <math>706 \cdot 2 = 1,413</math></p>   | 4.  | <b>no</b>  |
| <p>9) <math>403 \cdot 5 = 2,015</math></p>   | <p>10) <math>10 \cdot 152 = 1,520</math></p> | 5.  | <b>no</b>  |
| <p>11) <math>5 \cdot 536 = 2,684</math></p>  | <p>12) <math>856 \cdot 2 = 1,712</math></p>  | 6.  | <b>yes</b> |
| <p>13) <math>5 \cdot 357 = 1,785</math></p>  | <p>14) <math>770 \cdot 10 = 7,702</math></p> | 7.  | <b>no</b>  |
| <p>15) <math>167 \cdot 5 = 835</math></p>    | <p>16) <math>600 \cdot 10 = 6,002</math></p> | 8.  | <b>no</b>  |
| <p>17) <math>522 \cdot 10 = 5,229</math></p> | <p>18) <math>2 \cdot 543 = 1,087</math></p>  | 9.  | <b>yes</b> |
| <p>19) <math>10 \cdot 380 = 3,806</math></p> | <p>20) <math>736 \cdot 10 = 7,360</math></p> | 10. | <b>yes</b> |
|  |  | 11. | <b>no</b>  |
|  |  | 12. | <b>yes</b> |
|  |  | 13. | <b>yes</b> |
|  |  | 14. | <b>no</b>  |
|  |  | 15. | <b>yes</b> |
|  |  | 16. | <b>no</b>  |
|  |  | 17. | <b>no</b>  |
|  |  | 18. | <b>no</b>  |
|  |  | 19. | <b>no</b>  |
|  |  | 20. | <b>yes</b> |



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $820 \cdot 10 = 8,204$

2)  $2 \cdot 546 = 1,093$

3)  $133 \cdot 5 = 665$

4)  $10 \cdot 783 = 7,830$

5)  $2 \cdot 985 = 1,970$

6)  $10 \cdot 764 = 7,641$

7)  $799 \cdot 10 = 7,995$

8)  $10 \cdot 464 = 4,647$

9)  $533 \cdot 5 = 2,667$

10)  $728 \cdot 2 = 1,457$

11)  $5 \cdot 416 = 2,083$

12)  $5 \cdot 298 = 1,490$

13)  $633 \cdot 2 = 1,266$

14)  $495 \cdot 2 = 990$

15)  $148 \cdot 10 = 1,480$

16)  $292 \cdot 5 = 1,463$

17)  $309 \cdot 10 = 3,090$

18)  $700 \cdot 2 = 1,401$

19)  $604 \cdot 5 = 3,023$

20)  $5 \cdot 757 = 3,785$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

1)  $820 \cdot 10 = 8,204$

2)  $2 \cdot 546 = 1,093$

3)  $133 \cdot 5 = 665$

4)  $10 \cdot 783 = 7,830$

5)  $2 \cdot 985 = 1,970$

6)  $10 \cdot 764 = 7,641$

7)  $799 \cdot 10 = 7,995$

8)  $10 \cdot 464 = 4,647$

9)  $533 \cdot 5 = 2,667$

10)  $728 \cdot 2 = 1,457$

11)  $5 \cdot 416 = 2,083$

12)  $5 \cdot 298 = 1,490$

13)  $633 \cdot 2 = 1,266$

14)  $495 \cdot 2 = 990$

15)  $148 \cdot 10 = 1,480$

16)  $292 \cdot 5 = 1,463$

17)  $309 \cdot 10 = 3,090$

18)  $700 \cdot 2 = 1,401$

19)  $604 \cdot 5 = 3,023$

20)  $5 \cdot 757 = 3,785$

1. no
2. no
3. yes
4. yes
5. yes
6. no
7. no
8. no
9. no
10. no
11. no
12. yes
13. yes
14. yes
15. yes
16. no
17. yes
18. no
19. no
20. yes



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $600 \cdot 5 = 3,000$

2)  $333 \cdot 2 = 667$

3)  $102 \cdot 10 = 1,021$

4)  $10 \cdot 131 = 1,312$

5)  $10 \cdot 646 = 6,460$

6)  $2 \cdot 876 = 1,753$

7)  $10 \cdot 957 = 9,570$

8)  $5 \cdot 751 = 3,755$

9)  $5 \cdot 349 = 1,746$

10)  $10 \cdot 762 = 7,622$

11)  $5 \cdot 745 = 3,725$

12)  $5 \cdot 679 = 3,397$

13)  $361 \cdot 2 = 722$

14)  $2 \cdot 586 = 1,172$

15)  $659 \cdot 10 = 6,595$

16)  $471 \cdot 5 = 2,357$

17)  $653 \cdot 2 = 1,306$

18)  $5 \cdot 308 = 1,542$

19)  $10 \cdot 722 = 7,220$

20)  $5 \cdot 752 = 3,760$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |  |  |     |            |
|--|--|-----|------------|
| <p>1) <math>600 \cdot 5 = 3,000</math></p>   | <p>2) <math>333 \cdot 2 = 667</math></p>     | 1.  | <b>yes</b> |
| <p>3) <math>102 \cdot 10 = 1,021</math></p>  | <p>4) <math>10 \cdot 131 = 1,312</math></p>  | 2.  | <b>no</b>  |
| <p>5) <math>10 \cdot 646 = 6,460</math></p>  | <p>6) <math>2 \cdot 876 = 1,753</math></p>   | 3.  | <b>no</b>  |
| <p>7) <math>10 \cdot 957 = 9,570</math></p>  | <p>8) <math>5 \cdot 751 = 3,755</math></p>   | 4.  | <b>no</b>  |
| <p>9) <math>5 \cdot 349 = 1,746</math></p>   | <p>10) <math>10 \cdot 762 = 7,622</math></p> | 5.  | <b>yes</b> |
| <p>11) <math>5 \cdot 745 = 3,725</math></p>  | <p>12) <math>5 \cdot 679 = 3,397</math></p>  | 6.  | <b>no</b>  |
| <p>13) <math>361 \cdot 2 = 722</math></p>    | <p>14) <math>2 \cdot 586 = 1,172</math></p>  | 7.  | <b>yes</b> |
| <p>15) <math>659 \cdot 10 = 6,595</math></p> | <p>16) <math>471 \cdot 5 = 2,357</math></p>  | 8.  | <b>yes</b> |
| <p>17) <math>653 \cdot 2 = 1,306</math></p>  | <p>18) <math>5 \cdot 308 = 1,542</math></p>  | 9.  | <b>no</b>  |
| <p>19) <math>10 \cdot 722 = 7,220</math></p> | <p>20) <math>5 \cdot 752 = 3,760</math></p>  | 10. | <b>no</b>  |
|  |  | 11. | <b>yes</b> |
|  |  | 12. | <b>no</b>  |
|  |  | 13. | <b>yes</b> |
|  |  | 14. | <b>yes</b> |
|  |  | 15. | <b>no</b>  |
|  |  | 16. | <b>no</b>  |
|  |  | 17. | <b>yes</b> |
|  |  | 18. | <b>no</b>  |
|  |  | 19. | <b>yes</b> |
|  |  | 20. | <b>yes</b> |





**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

• Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0.    Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0.    Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $292 \cdot 5 = 1,460$

2)  $572 \cdot 2 = 1,145$

3)  $415 \cdot 2 = 831$

4)  $316 \cdot 2 = 632$

5)  $932 \cdot 10 = 9,324$

6)  $2 \cdot 608 = 1,216$

7)  $10 \cdot 501 = 5,010$

8)  $379 \cdot 2 = 759$

9)  $10 \cdot 573 = 5,730$

10)  $899 \cdot 2 = 1,798$

11)  $106 \cdot 5 = 531$

12)  $5 \cdot 156 = 780$

13)  $10 \cdot 285 = 2,850$

14)  $10 \cdot 537 = 5,373$

15)  $812 \cdot 5 = 4,062$

16)  $5 \cdot 636 = 3,180$

17)  $10 \cdot 765 = 7,652$

18)  $5 \cdot 758 = 3,791$

19)  $939 \cdot 2 = 1,879$

20)  $406 \cdot 2 = 812$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |   |  |  |   |
|---|--|--|---|
| <p>1) <math>292 \cdot 5 = 1,460</math></p> <p>3) <math>415 \cdot 2 = 831</math></p> <p>5) <math>932 \cdot 10 = 9,324</math></p> <p>7) <math>10 \cdot 501 = 5,010</math></p> <p>9) <math>10 \cdot 573 = 5,730</math></p> <p>11) <math>106 \cdot 5 = 531</math></p> <p>13) <math>10 \cdot 285 = 2,850</math></p> <p>15) <math>812 \cdot 5 = 4,062</math></p> <p>17) <math>10 \cdot 765 = 7,652</math></p> <p>19) <math>939 \cdot 2 = 1,879</math></p> | <p>2) <math>572 \cdot 2 = 1,145</math></p> <p>4) <math>316 \cdot 2 = 632</math></p> <p>6) <math>2 \cdot 608 = 1,216</math></p> <p>8) <math>379 \cdot 2 = 759</math></p> <p>10) <math>899 \cdot 2 = 1,798</math></p> <p>12) <math>5 \cdot 156 = 780</math></p> <p>14) <math>10 \cdot 537 = 5,373</math></p> <p>16) <math>5 \cdot 636 = 3,180</math></p> <p>18) <math>5 \cdot 758 = 3,791</math></p> <p>20) <math>406 \cdot 2 = 812</math></p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> |
|---|--|--|---|



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $2 \cdot 134 = 268$

2)  $587 \cdot 10 = 5,877$

3)  $2 \cdot 445 = 891$

4)  $10 \cdot 407 = 4,077$

5)  $5 \cdot 905 = 4,525$

6)  $5 \cdot 351 = 1,756$

7)  $2 \cdot 126 = 253$

8)  $979 \cdot 2 = 1,958$

9)  $10 \cdot 484 = 4,840$

10)  $889 \cdot 10 = 8,893$

11)  $10 \cdot 731 = 7,310$

12)  $128 \cdot 5 = 640$

13)  $2 \cdot 722 = 1,444$

14)  $710 \cdot 10 = 7,100$

15)  $434 \cdot 5 = 2,171$

16)  $512 \cdot 10 = 5,120$

17)  $510 \cdot 5 = 2,550$

18)  $717 \cdot 2 = 1,435$

19)  $5 \cdot 989 = 4,948$

20)  $2 \cdot 864 = 1,729$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |  |  |     |            |
|--|--|-----|------------|
| <p>1) <math>2 \cdot 134 = 268</math></p>     | <p>2) <math>587 \cdot 10 = 5,877</math></p>  | 1.  | <b>yes</b> |
| <p>3) <math>2 \cdot 445 = 891</math></p>     | <p>4) <math>10 \cdot 407 = 4,077</math></p>  | 2.  | <b>no</b>  |
| <p>5) <math>5 \cdot 905 = 4,525</math></p>   | <p>6) <math>5 \cdot 351 = 1,756</math></p>   | 3.  | <b>no</b>  |
| <p>7) <math>2 \cdot 126 = 253</math></p>     | <p>8) <math>979 \cdot 2 = 1,958</math></p>   | 4.  | <b>no</b>  |
| <p>9) <math>10 \cdot 484 = 4,840</math></p>  | <p>10) <math>889 \cdot 10 = 8,893</math></p> | 5.  | <b>yes</b> |
| <p>11) <math>10 \cdot 731 = 7,310</math></p> | <p>12) <math>128 \cdot 5 = 640</math></p>    | 6.  | <b>no</b>  |
| <p>13) <math>2 \cdot 722 = 1,444</math></p>  | <p>14) <math>710 \cdot 10 = 7,100</math></p> | 7.  | <b>no</b>  |
| <p>15) <math>434 \cdot 5 = 2,171</math></p>  | <p>16) <math>512 \cdot 10 = 5,120</math></p> | 8.  | <b>yes</b> |
| <p>17) <math>510 \cdot 5 = 2,550</math></p>  | <p>18) <math>717 \cdot 2 = 1,435</math></p>  | 9.  | <b>yes</b> |
| <p>19) <math>5 \cdot 989 = 4,948</math></p>  | <p>20) <math>2 \cdot 864 = 1,729</math></p>  | 10. | <b>no</b>  |
|  |  | 11. | <b>yes</b> |
|  |  | 12. | <b>yes</b> |
|  |  | 13. | <b>yes</b> |
|  |  | 14. | <b>yes</b> |
|  |  | 15. | <b>no</b>  |
|  |  | 16. | <b>yes</b> |
|  |  | 17. | <b>yes</b> |
|  |  | 18. | <b>no</b>  |
|  |  | 19. | <b>no</b>  |
|  |  | 20. | <b>no</b>  |



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $170 \cdot 10 = 1,704$

2)  $5 \cdot 535 = 2,678$

3)  $795 \cdot 10 = 7,950$

4)  $972 \cdot 2 = 1,945$

5)  $482 \cdot 5 = 2,410$

6)  $2 \cdot 443 = 886$

7)  $177 \cdot 10 = 1,770$

8)  $126 \cdot 10 = 1,269$

9)  $2 \cdot 216 = 432$

10)  $10 \cdot 797 = 7,970$

11)  $5 \cdot 588 = 2,944$

12)  $872 \cdot 2 = 1,745$

13)  $185 \cdot 2 = 371$

14)  $486 \cdot 5 = 2,430$

15)  $5 \cdot 937 = 4,685$

16)  $10 \cdot 140 = 1,403$

17)  $315 \cdot 5 = 1,579$

18)  $406 \cdot 10 = 4,060$

19)  $660 \cdot 5 = 3,302$

20)  $2 \cdot 439 = 878$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $170 \cdot 10 = 1,704$

2)  $5 \cdot 535 = 2,678$

3)  $795 \cdot 10 = 7,950$

4)  $972 \cdot 2 = 1,945$

5)  $482 \cdot 5 = 2,410$

6)  $2 \cdot 443 = 886$

7)  $177 \cdot 10 = 1,770$

8)  $126 \cdot 10 = 1,269$

9)  $2 \cdot 216 = 432$

10)  $10 \cdot 797 = 7,970$

11)  $5 \cdot 588 = 2,944$

12)  $872 \cdot 2 = 1,745$

13)  $185 \cdot 2 = 371$

14)  $486 \cdot 5 = 2,430$

15)  $5 \cdot 937 = 4,685$

16)  $10 \cdot 140 = 1,403$

17)  $315 \cdot 5 = 1,579$

18)  $406 \cdot 10 = 4,060$

19)  $660 \cdot 5 = 3,302$

20)  $2 \cdot 439 = 878$

Answers

1. no

2. no

3. yes

4. no

5. yes

6. yes

7. yes

8. no

9. yes

10. yes

11. no

12. no

13. no

14. yes

15. yes

16. no

17. no

18. yes

19. no

20. yes



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $805 \cdot 2 = 1,611$

2)  $5 \cdot 472 = 2,361$

3)  $2 \cdot 676 = 1,353$

4)  $5 \cdot 903 = 4,515$

5)  $2 \cdot 238 = 476$

6)  $211 \cdot 10 = 2,119$

7)  $5 \cdot 895 = 4,478$

8)  $340 \cdot 2 = 681$

9)  $115 \cdot 5 = 575$

10)  $10 \cdot 926 = 9,266$

11)  $985 \cdot 10 = 9,850$

12)  $826 \cdot 10 = 8,265$

13)  $10 \cdot 526 = 5,260$

14)  $5 \cdot 126 = 630$

15)  $2 \cdot 515 = 1,031$

16)  $889 \cdot 5 = 4,447$

17)  $447 \cdot 2 = 894$

18)  $5 \cdot 383 = 1,915$

19)  $357 \cdot 2 = 714$

20)  $849 \cdot 10 = 8,491$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |  |  |     |            |
|--|--|-----|------------|
| <p>1) <math>805 \cdot 2 = 1,611</math></p>   | <p>2) <math>5 \cdot 472 = 2,361</math></p>   | 1.  | <b>no</b>  |
| <p>3) <math>2 \cdot 676 = 1,353</math></p>   | <p>4) <math>5 \cdot 903 = 4,515</math></p>   | 2.  | <b>no</b>  |
| <p>5) <math>2 \cdot 238 = 476</math></p>     | <p>6) <math>211 \cdot 10 = 2,119</math></p>  | 3.  | <b>no</b>  |
| <p>7) <math>5 \cdot 895 = 4,478</math></p>   | <p>8) <math>340 \cdot 2 = 681</math></p>     | 4.  | <b>yes</b> |
| <p>9) <math>115 \cdot 5 = 575</math></p>     | <p>10) <math>10 \cdot 926 = 9,266</math></p> | 5.  | <b>yes</b> |
| <p>11) <math>985 \cdot 10 = 9,850</math></p> | <p>12) <math>826 \cdot 10 = 8,265</math></p> | 6.  | <b>no</b>  |
| <p>13) <math>10 \cdot 526 = 5,260</math></p> | <p>14) <math>5 \cdot 126 = 630</math></p>    | 7.  | <b>no</b>  |
| <p>15) <math>2 \cdot 515 = 1,031</math></p>  | <p>16) <math>889 \cdot 5 = 4,447</math></p>  | 8.  | <b>no</b>  |
| <p>17) <math>447 \cdot 2 = 894</math></p>    | <p>18) <math>5 \cdot 383 = 1,915</math></p>  | 9.  | <b>yes</b> |
| <p>19) <math>357 \cdot 2 = 714</math></p>    | <p>20) <math>849 \cdot 10 = 8,491</math></p> | 10. | <b>no</b>  |
|  |  | 11. | <b>yes</b> |
|  |  | 12. | <b>no</b>  |
|  |  | 13. | <b>yes</b> |
|  |  | 14. | <b>yes</b> |
|  |  | 15. | <b>no</b>  |
|  |  | 16. | <b>no</b>  |
|  |  | 17. | <b>yes</b> |
|  |  | 18. | <b>yes</b> |
|  |  | 19. | <b>yes</b> |
|  |  | 20. | <b>no</b>  |





**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $103 \cdot 5 = 519$

2)  $5 \cdot 488 = 2,440$

3)  $2 \cdot 905 = 1,811$

4)  $543 \cdot 5 = 2,716$

5)  $420 \cdot 10 = 4,200$

6)  $2 \cdot 632 = 1,264$

7)  $939 \cdot 10 = 9,390$

8)  $10 \cdot 629 = 6,291$

9)  $264 \cdot 2 = 529$

10)  $153 \cdot 2 = 306$

11)  $865 \cdot 5 = 4,329$

12)  $10 \cdot 562 = 5,629$

13)  $120 \cdot 10 = 1,206$

14)  $5 \cdot 317 = 1,589$

15)  $2 \cdot 360 = 721$

16)  $5 \cdot 485 = 2,425$

17)  $601 \cdot 2 = 1,203$

18)  $2 \cdot 306 = 612$

19)  $2 \cdot 515 = 1,030$

20)  $756 \cdot 5 = 3,780$

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

1)  $103 \cdot 5 = 519$

2)  $5 \cdot 488 = 2,440$

3)  $2 \cdot 905 = 1,811$

4)  $543 \cdot 5 = 2,716$

5)  $420 \cdot 10 = 4,200$

6)  $2 \cdot 632 = 1,264$

7)  $939 \cdot 10 = 9,390$

8)  $10 \cdot 629 = 6,291$

9)  $264 \cdot 2 = 529$

10)  $153 \cdot 2 = 306$

11)  $865 \cdot 5 = 4,329$

12)  $10 \cdot 562 = 5,629$

13)  $120 \cdot 10 = 1,206$

14)  $5 \cdot 317 = 1,589$

15)  $2 \cdot 360 = 721$

16)  $5 \cdot 485 = 2,425$

17)  $601 \cdot 2 = 1,203$

18)  $2 \cdot 306 = 612$

19)  $2 \cdot 515 = 1,030$

20)  $756 \cdot 5 = 3,780$

1. no
2. yes
3. no
4. no
5. yes
6. yes
7. yes
8. no
9. no
10. yes
11. no
12. no
13. no
14. no
15. no
16. yes
17. no
18. yes
19. yes
20. yes



**Determine if the answer shown is reasonable (yes) or not (no).**

**Answers**

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

1)  $2 \cdot 560 = 1,120$

2)  $972 \cdot 2 = 1,945$

3)  $562 \cdot 2 = 1,125$

4)  $409 \cdot 2 = 818$

5)  $10 \cdot 621 = 6,210$

6)  $5 \cdot 235 = 1,179$

7)  $689 \cdot 10 = 6,890$

8)  $5 \cdot 855 = 4,275$

9)  $897 \cdot 2 = 1,794$

10)  $10 \cdot 819 = 8,194$

11)  $108 \cdot 10 = 1,080$

12)  $235 \cdot 10 = 2,352$

13)  $679 \cdot 2 = 1,358$

14)  $977 \cdot 10 = 9,775$

15)  $10 \cdot 826 = 8,267$

16)  $2 \cdot 829 = 1,659$

17)  $10 \cdot 164 = 1,640$

18)  $267 \cdot 5 = 1,337$

19)  $635 \cdot 5 = 3,175$

20)  $5 \cdot 303 = 1,515$

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_
16. \_\_\_\_\_
17. \_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_
20. \_\_\_\_\_



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0).    Ex.  $2 \times 6 = 12$      $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0.            Ex.  $5 \times 4 = 20$      $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0.                            Ex.  $10 \times 7 = 70$      $10 \times 16 = 160$

Answers

- |   |  |  |  |
|---|--|--|--|
| <p>1) <math>2 \cdot 560 = 1,120</math></p> <p>3) <math>562 \cdot 2 = 1,125</math></p> <p>5) <math>10 \cdot 621 = 6,210</math></p> <p>7) <math>689 \cdot 10 = 6,890</math></p> <p>9) <math>897 \cdot 2 = 1,794</math></p> <p>11) <math>108 \cdot 10 = 1,080</math></p> <p>13) <math>679 \cdot 2 = 1,358</math></p> <p>15) <math>10 \cdot 826 = 8,267</math></p> <p>17) <math>10 \cdot 164 = 1,640</math></p> <p>19) <math>635 \cdot 5 = 3,175</math></p> | <p>2) <math>972 \cdot 2 = 1,945</math></p> <p>4) <math>409 \cdot 2 = 818</math></p> <p>6) <math>5 \cdot 235 = 1,179</math></p> <p>8) <math>5 \cdot 855 = 4,275</math></p> <p>10) <math>10 \cdot 819 = 8,194</math></p> <p>12) <math>235 \cdot 10 = 2,352</math></p> <p>14) <math>977 \cdot 10 = 9,775</math></p> <p>16) <math>2 \cdot 829 = 1,659</math></p> <p>18) <math>267 \cdot 5 = 1,337</math></p> <p>20) <math>5 \cdot 303 = 1,515</math></p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>no</u></p> <p><u>yes</u></p> <p><u>yes</u></p> |
|---|--|--|--|