



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $10 \times 485 = 4,852$

2) $401 \times 5 = 2,007$

3) $665 \times 2 = 1,330$

4) $5 \times 257 = 1,285$

5) $242 \times 2 = 484$

6) $10 \times 338 = 3,380$

7) $690 \times 5 = 3,453$

8) $10 \times 309 = 3,090$

9) $211 \times 2 = 422$

10) $226 \times 2 = 453$

11) $329 \times 10 = 3,290$

12) $10 \times 306 = 3,060$

13) $2 \times 646 = 1,293$

14) $5 \times 886 = 4,430$

15) $5 \times 882 = 4,412$

16) $540 \times 10 = 5,409$

17) $2 \times 577 = 1,155$

18) $648 \times 2 = 1,296$

19) $738 \times 5 = 3,691$

20) $243 \times 10 = 2,432$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $10 \times 485 = 4,852$

2) $401 \times 5 = 2,007$

3) $665 \times 2 = 1,330$

4) $5 \times 257 = 1,285$

5) $242 \times 2 = 484$

6) $10 \times 338 = 3,380$

7) $690 \times 5 = 3,453$

8) $10 \times 309 = 3,090$

9) $211 \times 2 = 422$

10) $226 \times 2 = 453$

11) $329 \times 10 = 3,290$

12) $10 \times 306 = 3,060$

13) $2 \times 646 = 1,293$

14) $5 \times 886 = 4,430$

15) $5 \times 882 = 4,412$

16) $540 \times 10 = 5,409$

17) $2 \times 577 = 1,155$

18) $648 \times 2 = 1,296$

19) $738 \times 5 = 3,691$

20) $243 \times 10 = 2,432$

1. **no**

2. **no**

3. **yes**

4. **yes**

5. **yes**

6. **yes**

7. **no**

8. **yes**

9. **yes**

10. **no**

11. **yes**

12. **yes**

13. **no**

14. **yes**

15. **no**

16. **no**

17. **no**

18. **yes**

19. **no**

20. **no**



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $189 \times 2 = 379$

2) $10 \times 633 = 6,330$

3) $5 \times 856 = 4,280$

4) $254 \times 5 = 1,270$

5) $5 \times 186 = 930$

6) $390 \times 10 = 3,903$

7) $325 \times 2 = 650$

8) $5 \times 493 = 2,469$

9) $348 \times 5 = 1,743$

10) $2 \times 894 = 1,788$

11) $10 \times 961 = 9,610$

12) $317 \times 10 = 3,176$

13) $5 \times 524 = 2,621$

14) $757 \times 2 = 1,515$

15) $347 \times 10 = 3,471$

16) $10 \times 813 = 8,130$

17) $10 \times 439 = 4,390$

18) $690 \times 2 = 1,381$

19) $10 \times 486 = 4,866$

20) $5 \times 858 = 4,290$

- 1. _____
- 2. _____
- 3. _____
- 4. _____
- 5. _____
- 6. _____
- 7. _____
- 8. _____
- 9. _____
- 10. _____
- 11. _____
- 12. _____
- 13. _____
- 14. _____
- 15. _____
- 16. _____
- 17. _____
- 18. _____
- 19. _____
- 20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|--|---|--|--|
| <p>1) $189 \times 2 = 379$</p> <p>3) $5 \times 856 = 4,280$</p> <p>5) $5 \times 186 = 930$</p> <p>7) $325 \times 2 = 650$</p> <p>9) $348 \times 5 = 1,743$</p> <p>11) $10 \times 961 = 9,610$</p> <p>13) $5 \times 524 = 2,621$</p> <p>15) $347 \times 10 = 3,471$</p> <p>17) $10 \times 439 = 4,390$</p> <p>19) $10 \times 486 = 4,866$</p> | <p>2) $10 \times 633 = 6,330$</p> <p>4) $254 \times 5 = 1,270$</p> <p>6) $390 \times 10 = 3,903$</p> <p>8) $5 \times 493 = 2,469$</p> <p>10) $2 \times 894 = 1,788$</p> <p>12) $317 \times 10 = 3,176$</p> <p>14) $757 \times 2 = 1,515$</p> <p>16) $10 \times 813 = 8,130$</p> <p>18) $690 \times 2 = 1,381$</p> <p>20) $5 \times 858 = 4,290$</p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p>no</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>no</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> <p>no</p> <p>no</p> <p>no</p> <p>no</p> <p>yes</p> <p>no</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> |
|--|---|--|--|



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $2 \times 617 = 1,235$

2) $10 \times 902 = 9,020$

3) $936 \times 5 = 4,680$

4) $10 \times 506 = 5,067$

5) $2 \times 375 = 750$

6) $2 \times 944 = 1,889$

7) $5 \times 773 = 3,868$

8) $444 \times 10 = 4,449$

9) $5 \times 950 = 4,752$

10) $608 \times 5 = 3,040$

11) $2 \times 289 = 578$

12) $2 \times 530 = 1,060$

13) $10 \times 661 = 6,618$

14) $5 \times 999 = 4,996$

15) $10 \times 271 = 2,717$

16) $2 \times 334 = 669$

17) $440 \times 10 = 4,400$

18) $808 \times 2 = 1,617$

19) $891 \times 10 = 8,910$

20) $951 \times 10 = 9,510$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|--|---|--|--|
| <p>1) $2 \times 617 = 1,235$</p> <p>3) $936 \times 5 = 4,680$</p> <p>5) $2 \times 375 = 750$</p> <p>7) $5 \times 773 = 3,868$</p> <p>9) $5 \times 950 = 4,752$</p> <p>11) $2 \times 289 = 578$</p> <p>13) $10 \times 661 = 6,618$</p> <p>15) $10 \times 271 = 2,717$</p> <p>17) $440 \times 10 = 4,400$</p> <p>19) $891 \times 10 = 8,910$</p> | <p>2) $10 \times 902 = 9,020$</p> <p>4) $10 \times 506 = 5,067$</p> <p>6) $2 \times 944 = 1,889$</p> <p>8) $444 \times 10 = 4,449$</p> <p>10) $608 \times 5 = 3,040$</p> <p>12) $2 \times 530 = 1,060$</p> <p>14) $5 \times 999 = 4,996$</p> <p>16) $2 \times 334 = 669$</p> <p>18) $808 \times 2 = 1,617$</p> <p>20) $951 \times 10 = 9,510$</p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p>no</p> <p>yes</p> <p>yes</p> <p>no</p> <p>yes</p> <p>no</p> <p>no</p> <p>no</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>no</p> <p>no</p> <p>yes</p> <p>no</p> <p>yes</p> <p>no</p> <p>yes</p> <p>yes</p> |
|--|---|--|--|



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $341 \times 5 = 1,705$

2) $768 \times 10 = 7,680$

3) $10 \times 166 = 1,660$

4) $2 \times 126 = 253$

5) $2 \times 130 = 261$

6) $2 \times 692 = 1,385$

7) $268 \times 5 = 1,340$

8) $10 \times 535 = 5,355$

9) $5 \times 631 = 3,157$

10) $404 \times 2 = 809$

11) $173 \times 2 = 346$

12) $394 \times 5 = 1,970$

13) $609 \times 2 = 1,218$

14) $2 \times 660 = 1,320$

15) $814 \times 10 = 8,147$

16) $536 \times 2 = 1,072$

17) $10 \times 706 = 7,061$

18) $10 \times 906 = 9,065$

19) $608 \times 5 = 3,044$

20) $106 \times 10 = 1,060$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $341 \times 5 = 1,705$

2) $768 \times 10 = 7,680$

3) $10 \times 166 = 1,660$

4) $2 \times 126 = 253$

5) $2 \times 130 = 261$

6) $2 \times 692 = 1,385$

7) $268 \times 5 = 1,340$

8) $10 \times 535 = 5,355$

9) $5 \times 631 = 3,157$

10) $404 \times 2 = 809$

11) $173 \times 2 = 346$

12) $394 \times 5 = 1,970$

13) $609 \times 2 = 1,218$

14) $2 \times 660 = 1,320$

15) $814 \times 10 = 8,147$

16) $536 \times 2 = 1,072$

17) $10 \times 706 = 7,061$

18) $10 \times 906 = 9,065$

19) $608 \times 5 = 3,044$

20) $106 \times 10 = 1,060$

1. yes

2. yes

3. yes

4. no

5. no

6. no

7. yes

8. no

9. no

10. no

11. yes

12. yes

13. yes

14. yes

15. no

16. yes

17. no

18. no

19. no

20. yes



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $2 \times 927 = 1,854$

2) $669 \times 2 = 1,338$

3) $864 \times 5 = 4,320$

4) $709 \times 10 = 7,091$

5) $2 \times 776 = 1,552$

6) $10 \times 743 = 7,430$

7) $10 \times 139 = 1,390$

8) $139 \times 5 = 697$

9) $652 \times 2 = 1,305$

10) $692 \times 5 = 3,460$

11) $10 \times 362 = 3,625$

12) $355 \times 10 = 3,559$

13) $10 \times 792 = 7,920$

14) $573 \times 5 = 2,867$

15) $643 \times 2 = 1,286$

16) $213 \times 5 = 1,065$

17) $323 \times 2 = 647$

18) $10 \times 320 = 3,203$

19) $723 \times 5 = 3,617$

20) $949 \times 2 = 1,899$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $2 \times 927 = 1,854$

2) $669 \times 2 = 1,338$

3) $864 \times 5 = 4,320$

4) $709 \times 10 = 7,091$

5) $2 \times 776 = 1,552$

6) $10 \times 743 = 7,430$

7) $10 \times 139 = 1,390$

8) $139 \times 5 = 697$

9) $652 \times 2 = 1,305$

10) $692 \times 5 = 3,460$

11) $10 \times 362 = 3,625$

12) $355 \times 10 = 3,559$

13) $10 \times 792 = 7,920$

14) $573 \times 5 = 2,867$

15) $643 \times 2 = 1,286$

16) $213 \times 5 = 1,065$

17) $323 \times 2 = 647$

18) $10 \times 320 = 3,203$

19) $723 \times 5 = 3,617$

20) $949 \times 2 = 1,899$

1. yes

2. yes

3. yes

4. no

5. yes

6. yes

7. yes

8. no

9. no

10. yes

11. no

12. no

13. yes

14. no

15. yes

16. yes

17. no

18. no

19. no

20. no



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $636 \times 10 = 6,365$

2) $5 \times 339 = 1,696$

3) $5 \times 637 = 3,188$

4) $525 \times 2 = 1,051$

5) $768 \times 5 = 3,840$

6) $686 \times 5 = 3,430$

7) $675 \times 2 = 1,351$

8) $714 \times 5 = 3,570$

9) $389 \times 2 = 778$

10) $10 \times 135 = 1,350$

11) $363 \times 10 = 3,635$

12) $417 \times 2 = 835$

13) $526 \times 5 = 2,630$

14) $10 \times 154 = 1,540$

15) $2 \times 982 = 1,964$

16) $142 \times 5 = 712$

17) $10 \times 154 = 1,549$

18) $706 \times 2 = 1,412$

19) $149 \times 10 = 1,493$

20) $519 \times 2 = 1,038$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|--|---|--|--|
| <p>1) $636 \times 10 = 6,365$</p> <p>3) $5 \times 637 = 3,188$</p> <p>5) $768 \times 5 = 3,840$</p> <p>7) $675 \times 2 = 1,351$</p> <p>9) $389 \times 2 = 778$</p> <p>11) $363 \times 10 = 3,635$</p> <p>13) $526 \times 5 = 2,630$</p> <p>15) $2 \times 982 = 1,964$</p> <p>17) $10 \times 154 = 1,549$</p> <p>19) $149 \times 10 = 1,493$</p> | <p>2) $5 \times 339 = 1,696$</p> <p>4) $525 \times 2 = 1,051$</p> <p>6) $686 \times 5 = 3,430$</p> <p>8) $714 \times 5 = 3,570$</p> <p>10) $10 \times 135 = 1,350$</p> <p>12) $417 \times 2 = 835$</p> <p>14) $10 \times 154 = 1,540$</p> <p>16) $142 \times 5 = 712$</p> <p>18) $706 \times 2 = 1,412$</p> <p>20) $519 \times 2 = 1,038$</p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p>no</p> <p>no</p> <p>no</p> <p>no</p> <p>yes</p> <p>yes</p> <p>no</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> <p>no</p> <p>yes</p> <p>no</p> <p>yes</p> |
|--|---|--|--|



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $5 \times 718 = 3,590$

2) $428 \times 5 = 2,141$

3) $823 \times 10 = 8,230$

4) $5 \times 171 = 855$

5) $2 \times 745 = 1,490$

6) $314 \times 2 = 628$

7) $10 \times 920 = 9,207$

8) $10 \times 664 = 6,648$

9) $281 \times 2 = 562$

10) $530 \times 5 = 2,650$

11) $104 \times 5 = 524$

12) $375 \times 2 = 750$

13) $965 \times 5 = 4,828$

14) $619 \times 2 = 1,239$

15) $2 \times 142 = 285$

16) $2 \times 673 = 1,347$

17) $5 \times 202 = 1,012$

18) $445 \times 10 = 4,450$

19) $10 \times 504 = 5,040$

20) $824 \times 2 = 1,649$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | |
|---|---|--|
| <p>1) $5 \times 718 = 3,590$</p> <p>3) $823 \times 10 = 8,230$</p> <p>5) $2 \times 745 = 1,490$</p> <p>7) $10 \times 920 = 9,207$</p> <p>9) $281 \times 2 = 562$</p> <p>11) $104 \times 5 = 524$</p> <p>13) $965 \times 5 = 4,828$</p> <p>15) $2 \times 142 = 285$</p> <p>17) $5 \times 202 = 1,012$</p> <p>19) $10 \times 504 = 5,040$</p> | <p>2) $428 \times 5 = 2,141$</p> <p>4) $5 \times 171 = 855$</p> <p>6) $314 \times 2 = 628$</p> <p>8) $10 \times 664 = 6,648$</p> <p>10) $530 \times 5 = 2,650$</p> <p>12) $375 \times 2 = 750$</p> <p>14) $619 \times 2 = 1,239$</p> <p>16) $2 \times 673 = 1,347$</p> <p>18) $445 \times 10 = 4,450$</p> <p>20) $824 \times 2 = 1,649$</p> | <p>1. <u>yes</u></p> <p>2. <u>no</u></p> <p>3. <u>yes</u></p> <p>4. <u>yes</u></p> <p>5. <u>yes</u></p> <p>6. <u>yes</u></p> <p>7. <u>no</u></p> <p>8. <u>no</u></p> <p>9. <u>yes</u></p> <p>10. <u>yes</u></p> <p>11. <u>no</u></p> <p>12. <u>yes</u></p> <p>13. <u>no</u></p> <p>14. <u>no</u></p> <p>15. <u>no</u></p> <p>16. <u>no</u></p> <p>17. <u>no</u></p> <p>18. <u>yes</u></p> <p>19. <u>yes</u></p> <p>20. <u>no</u></p> |
|---|---|--|



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $2 \times 591 = 1,182$

2) $722 \times 5 = 3,610$

3) $524 \times 2 = 1,049$

4) $5 \times 698 = 3,492$

5) $10 \times 447 = 4,473$

6) $111 \times 5 = 555$

7) $696 \times 10 = 6,960$

8) $568 \times 5 = 2,840$

9) $10 \times 907 = 9,070$

10) $2 \times 399 = 798$

11) $798 \times 10 = 7,988$

12) $712 \times 5 = 3,561$

13) $2 \times 578 = 1,157$

14) $5 \times 634 = 3,170$

15) $10 \times 211 = 2,112$

16) $519 \times 10 = 5,194$

17) $2 \times 544 = 1,089$

18) $10 \times 177 = 1,770$

19) $579 \times 5 = 2,897$

20) $538 \times 2 = 1,076$

- 1. _____
- 2. _____
- 3. _____
- 4. _____
- 5. _____
- 6. _____
- 7. _____
- 8. _____
- 9. _____
- 10. _____
- 11. _____
- 12. _____
- 13. _____
- 14. _____
- 15. _____
- 16. _____
- 17. _____
- 18. _____
- 19. _____
- 20. _____



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $2 \times 591 = 1,182$

2) $722 \times 5 = 3,610$

3) $524 \times 2 = 1,049$

4) $5 \times 698 = 3,492$

5) $10 \times 447 = 4,473$

6) $111 \times 5 = 555$

7) $696 \times 10 = 6,960$

8) $568 \times 5 = 2,840$

9) $10 \times 907 = 9,070$

10) $2 \times 399 = 798$

11) $798 \times 10 = 7,988$

12) $712 \times 5 = 3,561$

13) $2 \times 578 = 1,157$

14) $5 \times 634 = 3,170$

15) $10 \times 211 = 2,112$

16) $519 \times 10 = 5,194$

17) $2 \times 544 = 1,089$

18) $10 \times 177 = 1,770$

19) $579 \times 5 = 2,897$

20) $538 \times 2 = 1,076$

1. yes

2. yes

3. no

4. no

5. no

6. yes

7. yes

8. yes

9. yes

10. yes

11. no

12. no

13. no

14. yes

15. no

16. no

17. no

18. yes

19. no

20. yes



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $133 \times 5 = 667$

2) $680 \times 2 = 1,361$

3) $362 \times 2 = 724$

4) $703 \times 10 = 7,038$

5) $560 \times 2 = 1,120$

6) $5 \times 637 = 3,185$

7) $711 \times 10 = 7,118$

8) $10 \times 361 = 3,619$

9) $743 \times 2 = 1,486$

10) $344 \times 2 = 689$

11) $10 \times 279 = 2,794$

12) $862 \times 10 = 8,620$

13) $796 \times 5 = 3,980$

14) $5 \times 750 = 3,753$

15) $320 \times 10 = 3,200$

16) $2 \times 672 = 1,345$

17) $10 \times 180 = 1,800$

18) $716 \times 2 = 1,432$

19) $5 \times 830 = 4,151$

20) $5 \times 816 = 4,080$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|---|---|-----|------------|
| <p>1) $133 \times 5 = 667$</p> | <p>2) $680 \times 2 = 1,361$</p> | 1. | no |
| <p>3) $362 \times 2 = 724$</p> | <p>4) $703 \times 10 = 7,038$</p> | 2. | no |
| <p>5) $560 \times 2 = 1,120$</p> | <p>6) $5 \times 637 = 3,185$</p> | 3. | yes |
| <p>7) $711 \times 10 = 7,118$</p> | <p>8) $10 \times 361 = 3,619$</p> | 4. | no |
| <p>9) $743 \times 2 = 1,486$</p> | <p>10) $344 \times 2 = 689$</p> | 5. | yes |
| <p>11) $10 \times 279 = 2,794$</p> | <p>12) $862 \times 10 = 8,620$</p> | 6. | yes |
| <p>13) $796 \times 5 = 3,980$</p> | <p>14) $5 \times 750 = 3,753$</p> | 7. | no |
| <p>15) $320 \times 10 = 3,200$</p> | <p>16) $2 \times 672 = 1,345$</p> | 8. | no |
| <p>17) $10 \times 180 = 1,800$</p> | <p>18) $716 \times 2 = 1,432$</p> | 9. | yes |
| <p>19) $5 \times 830 = 4,151$</p> | <p>20) $5 \times 816 = 4,080$</p> | 10. | no |
| | | 11. | no |
| | | 12. | yes |
| | | 13. | yes |
| | | 14. | no |
| | | 15. | yes |
| | | 16. | no |
| | | 17. | yes |
| | | 18. | yes |
| | | 19. | no |
| | | 20. | yes |



Determine if the answer shown is reasonable (yes) or not (no).

Answers

• Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$

• Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$

• Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $828 \times 2 = 1,656$

2) $953 \times 2 = 1,906$

3) $706 \times 5 = 3,534$

4) $5 \times 862 = 4,312$

5) $350 \times 5 = 1,752$

6) $10 \times 488 = 4,881$

7) $543 \times 2 = 1,087$

8) $387 \times 2 = 774$

9) $10 \times 702 = 7,020$

10) $5 \times 244 = 1,220$

11) $848 \times 5 = 4,240$

12) $2 \times 673 = 1,347$

13) $5 \times 190 = 950$

14) $284 \times 5 = 1,420$

15) $364 \times 10 = 3,642$

16) $2 \times 312 = 624$

17) $830 \times 10 = 8,300$

18) $10 \times 229 = 2,298$

19) $748 \times 5 = 3,744$

20) $10 \times 961 = 9,610$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|---|--|--|--|
| <p>1) $828 \times 2 = 1,656$</p> <p>3) $706 \times 5 = 3,534$</p> <p>5) $350 \times 5 = 1,752$</p> <p>7) $543 \times 2 = 1,087$</p> <p>9) $10 \times 702 = 7,020$</p> <p>11) $848 \times 5 = 4,240$</p> <p>13) $5 \times 190 = 950$</p> <p>15) $364 \times 10 = 3,642$</p> <p>17) $830 \times 10 = 8,300$</p> <p>19) $748 \times 5 = 3,744$</p> | <p>2) $953 \times 2 = 1,906$</p> <p>4) $5 \times 862 = 4,312$</p> <p>6) $10 \times 488 = 4,881$</p> <p>8) $387 \times 2 = 774$</p> <p>10) $5 \times 244 = 1,220$</p> <p>12) $2 \times 673 = 1,347$</p> <p>14) $284 \times 5 = 1,420$</p> <p>16) $2 \times 312 = 624$</p> <p>18) $10 \times 229 = 2,298$</p> <p>20) $10 \times 961 = 9,610$</p> | <p>1.</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>5.</p> <p>6.</p> <p>7.</p> <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> <p>12.</p> <p>13.</p> <p>14.</p> <p>15.</p> <p>16.</p> <p>17.</p> <p>18.</p> <p>19.</p> <p>20.</p> | <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>no</p> <p>no</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> <p>yes</p> <p>no</p> <p>yes</p> <p>yes</p> <p>no</p> <p>no</p> <p>yes</p> |
|---|--|--|--|